
AVAILIBLE 11/1/23

SPACEE

INTERIOR: 3,427 SF

- 12' HIGH CEILING HEIGHTS FROM THE SLAB TO THE UNDERSIDE OF THE ROOF
- 2 SKYLIGHTS
- FULL HEIGHT DRIVE IN ROLL UP GATE FEATURING 11' HIGH CLEARANCE - 12' WIDE EXTERIOR (CAN BE REPLACED WITH A STORE FRONT SYSTEM)
- NEWLY RENOVATED BATHROOM
- WELL MAINTAINED STEEL FRAMED STRUCTURE
- MASONRY NON-LOAD BEARING EXTERIOR WALLS
- HEAVY DUTY SLAB BETWEEN 8-10" OF CONCRETE
 THROUGHOUT FIRST FLOOR REINFORCED WITH WIRE MESH
 AND TOPPED WITH SELF LEVELING GYPCRETE
- 32' FROM FRONT WALL COLUMN SPACING, THEN 21' WIDE
- 200 AMPS OF 3 PHASE POWER
- 1 MODINE HOT AIR BLOWERS
- 2 INCH GAS LINE
- 2 INCH WATERLINE
- CODE COMPLIANT FULL COVERAGE WET SPRINKLER SYSTEM



FLOOR PLANS NOT TO SCALE WITH ONE ANOTHER*



AVAILIBLE 11/1/23

SPACEE

INTERIOR: 3,427 SF

- 12' HIGH CEILING HEIGHTS FROM THE SLAB TO THE UNDERSIDE OF THE ROOF
- 2 SKYLIGHTS
- FULL HEIGHT DRIVE IN ROLL UP GATE FEATURING 11' HIGH CLEARANCE - 12' WIDE EXTERIOR (CAN BE REPLACED WITH A STORE FRONT SYSTEM)
- NEWLY RENOVATED BATHROOM
- WELL MAINTAINED STEEL FRAMED STRUCTURE
- MASONRY NON-LOAD BEARING EXTERIOR WALLS
- HEAVY DUTY SLAB BETWEEN 8-10" OF CONCRETE THROUGHOUT FIRST FLOOR REINFORCED WITH WIRE MESH AND TOPPED WITH SELF LEVELING GYPCRETE
- 32' FROM FRONT WALL COLUMN SPACING, THEN 21' WIDE
- 200 AMPS OF 3 PHASE POWER
- 1 MODINE HOT AIR BLOWERS
- 2 INCH GAS LINE
- 2 INCH WATERLINE
- CODE COMPLIANT FULL COVERAGE WET SPRINKLER SYSTEM